

## **FINAWAX S 90**

**<u>DESCRIPTION</u>** : Saturated primary amide (Stearamide)

**SPECIFICATIONS**: Appearance: Microbeads

Melting Point : 100 to 110 deg C

(Slight variations in the specifications stated due to raw materials and production conditions are possible though they have no influence on the application properties described.)

**PROPERTIES**: Refined vegetable based stearamide

**APPLICATIONS**: - Antiblocking additive for polyolefin films when used in

combination with inorganic antiblock. Can offer benefit through superior clarity films via lowering film haze cause by

inorganic antiblocks.

- Lubricant in PVC, PS, synthetic rubbers and other base resins

- Can be used in speciality applications such as the

flexographic, lithographic & carbon paper Inks, thermal paper

**METHOD OF USE** : - Masterbatch route

- During compounding step

<u>USE LEVEL</u> : 0.5 - 1.0 % on total compound weight

**STORAGE** : It may form soft agglomerates during transit/storage depending upon

its particle size, compaction caused during stacking of material and

prevailing atmospheric temperatures during transit/storage

conditions due to its fatty nature & inherent characteristics. Finer the particle size more can be such agglomeration. However, this agglomeration does not affect the product's performance. These soft

agglomerates can be broken easily if necessary.

Disclaimer: Information given herein is in good faith but without guarantee since the conditions of use of the product are not in our control. Fine Organic Industries Ltd & it's associate companies expressly disclaims any responsibility for the suitability of the products for any specific or particular purposes by the user and does not assume any liability or risk involved in the use of its products. We recommend that the actual user make tests to determine the suitability of a product for their particular application prior to use. User should refer to SDS and other relevant data for safe handling. The user of the products is solely responsible for compliance with all laws and regulations applying to the use of the products, including intellectual property rights of third parties.

FINAWAX S 90 AUG 2023 Page 1 of 1