

DISPARLON NS-5210A

(Thixotropic agent)

DISPARLON NS-5210A is a pre-activated thixotropic agent composed of a hybrid compound of an amide wax and an oxidized polyolefin. DISPARLON NS-5210A prevents settling and sagging, and improves metallic pigment orientation without excess viscosity increasing and undesirable aggregation. Unlike conventional amide paste products, DISPARLON NS-5210A is an easy incorporation type product and doesn't need to make Master-batch.

ADVANTAGES

- Excellent anti-settling and anti-sagging property
- Improves metallic pigment orientation
- Improves matting effect of silica matting agent
- Easy incorporation

APPLICATIONS

DISPARLON NS-5210A can be used in a wide range of coating systems, and is especially recommended for high performance baking enamels containing metallic pigments.

INCORPORATION

Additive levels : 3.0 ~ 8.0% by wt on total formulation.

Method : Post-addition at a final production stage with a dissolver is recommended.

Keep temperature below 50°C during dispersing.

TYPICAL PROPERTIES

Appearance	White to light yellow paste
Active matter	10% by wt.
Solvent	Xylene / Ethyl alcohol / Isopropyl alcohol

STORAGE

Do not heat. Store below 40°C. Heating causes degradation of quality and performance.



Kusumoto Chemicals, Ltd.

11-13, UCHIKANDA 1-CHOME, CHIYODA-KU, TOKYO JAPAN

(TEL) 81-3-3292-8685 (FAX) 81-3-3295-6079

The information on use is based on data which are believed reliable, but any recommendation or suggestion made are without guarantee or warranty, since the conditions of use are outside our control. All products are sold on the conditions that purchasers shall make their own tests to determine the suitability of such products for their purpose and that all risks are assumed by user. We disclaim any responsibility for damages resulting from careless or improper handling or use. Nothing herein is to be taken as permission, inducement or recommendation to practice any patented invention without a license. See SDS for safety handling before to use.

© 2021 All Rights Reserved By Kusumoto Chemicals Ltd.